

SPX312



 max 1200 kg

 2790 x 770 x 1600 mm

 max 10.9 m

 max 9.5 m



Technische Informationen

Dimension	 L x W x H	2790 x 770 x 1600 mm
Stab. Area		3700 x 3700 mm


		Kg
Crane & Options Weights		SPX312CP 1800
		SPX312C+ 1800
		/
		2T-D7 20
		PP400-4DX PP220-4DX PP220-2DX 45
		JIB800GX 20
		JIB400.1MX 60
		JIB400.1H 90
		MV600.3E+ 180

SPX312CP	Petrol Engine	YAMAHA MZ 360	7.6 kW 10.4 Hp
SPX312C+	Standard or Lithium Battery	N.4 BATTERIES 6V, 240Ah	4.0 kW 5.5 Hp


Speed		1.7 km/h
Gradeability		20°
Ext. Tracks		770-1065 mm

Technische Informationen

* SPX312H: for hydraulic jib



Winde




 Main Winch	600 kg (Single line) 63 m - Ø 7 mm 15.1-31.8 m/min.
---	---


Max. Capacity	Line	Metres
 max 1200 kg	2	-29 m
 max 600 kg	1	-59 m



Kran-Dimensionen



Hauptausleger



000 Capacity with jib

Wir heben ihre Leistung!



Pfalzlift Haßloch
Langgasse 93, 67454 Haßloch
Telefon: +49 6324 80577
Telefax: +49 6324 5930025
info@pfalzlift.de
www.pfalzlift.de



Alle technischen Angaben unter
Vorbehalt nach Datenstand 08.2019.